
















# Production Information-1,4BG(1)

Product	Photo			
	Type	Liquid (99.5%)	Bulk package	Drum package
	Characteristics and advantages	Colorless liquid, near odorless, and high-boiling liquid with low toxicity. Extensively used in THF, PBT, PU, GBL, NMP, painting, and bioplastic.		
	Certificate	ISO-9001 ISO-14001 ISO-45001		
Supply Performance				
Contact Us	Cynthia Chu <a href="tel:+886-2-2712-2211">Tel:+886-2-2712-2211</a> Ext.5920 e-mail: <a href="mailto:cynthiachu@npc.com.tw">cynthiachu@npc.com.tw</a>			

# Production Information-1,4BG(2)

Applications			
	THF	PBT (Engineer Plastic)	PBT (Fiber)
Applications			
	PU (Synthetic Paper)	PU (Construction Material)	GBL
Applications			
	NMP	Painting	Bioplastics

# Production Information-1,4BG(3)



## Nan Ya Plastics Corporation

Chemicals Sales Department  
Petrochemicals 2nd Division

201 Tung Hwa N. Road, Taipei, Taiwan, R.O.C  
Tel. : 886-2-2712-2211 EXT. 5921  
Fax. : 886-2-2713-8248  
e-mail : cynthiachu@npc.com.tw

## 1,4 BG Specification Sheet

Properties	Unit	Specification	Analysis Method
Appearance	----	clear, transparent liquid	visual inspection
Purity	wt %	99.5 min.	Gas Chromatography
Color	APHA	10 max.	JIS K 0071-1993
Moisture Content	PPM	300 max.	JIS K 0068-1992